


# LUB STEIN

Lubricants  
Antifreeze  
Additive



**Made in Germany**



Lubstein - Our business is the international trade of lubricants that are "MADE IN GERMANY".

The mission of our company is to keep all our clients satisfied. As a result, we do not only stand out with our top-of-the-line product quality but also with special service and longtime collaborations.

If you are interested in our products and a lasting relationship please contact us. We are looking forward to developing great cooperations anytime.





PRODUCT	ART.-NO.	API	SPEC./RECOM.
LUBSTEIN SYNT SAE 0W-20 SN/CF	13412	SN/CF	Chrysler MS-6395, Ford WSS-M2C925-A/-B, ILSAC GF-5, Dexos 1
LUBSTEIN SAE 5W-20 SN/CF	18612	SN/CF	ACEA A5/B5, Chrysler MS-6395, Ford WSS-M2C925-A/-B, ILSAC GF-5, Dexos 1
LUBSTEIN SAE 5W-30 SN/CF	11812	SN/CF	ACEA A3/B4, ACEA C3, BMW Longlife-04, MB 229.31/229.51/229.52, Opel GM Dexos 2, VW 502 00/505 00/505 01 (PN)
LUBSTEIN SAE 5W-30 SN	18512	SN/CF	ACEA A3/B4
LUBSTEIN SYNT SAE 5W-30 DPF	12512	SM/CF	ACEA A3/B4, ACEA C3, BMW Longlife-04, MB 229.51, Porsche C30, VW 504 00/507 00
LUBSTEIN SAE 5W-40 SN/CF	14912	SN/CF	ACEA A3/B4, ACEA C3, BMW Longlife-04, Ford WSS-M2C917A, MB 229.31/229.51, Porsche A40, Renault RN 0700/0710, VW 502 00/505 00/505 01 (PN)
LUBSTEIN SAE 5W-40 SN/CF i	06812	SN/CF	ACEA A3/B4, BMW Longlife-98, MB 229.3, Opel GM-LL-B-025, Porsche A40, PSA B71 2296, Renault RN 0700/0710, VW 502 00/505 00
LUBSTEIN SYNT SAE 10W-30 SN/CF	18412	SN/CF	ACEA A3-/B4, MB 229.1, VW 505 00, Daihatsu, Honda, Hyundai, Kia, Lexus, Mazda, Mitsubishi, Nissan, Subaru, Suzuki, Toyota
LUBSTEIN SAE 10W-40 SL/CF	05812	SL/CF	ACEA A3/B3/B4, Fiat 9.55535-G2/D2, MB 229.1, VW 501 01/505 00
LUBSTEIN SAE 10W-40 SN/CF	09312	SN/CF	ACEA A3/B4, Fiat 9.55535-G2/D2, MB 229.3, Renault RN 0700/0710, VW 502 00/505 00
LUBSTEIN SYNT SAE 10W-60 SN/CF	07012	SN/CF	ACEA A3/B4
LUBSTEIN SAE 15W-40 SL/CF	90712	SL/CF	ACEA A3/B3, ACEA A3/B4, Fiat 9.55535-G2/D2, MB 229.1, VW 501 01/505 00
LUBSTEIN SAE 20W-50 SL/CF	01112	SL/CF	ACEA A3/B3/B4, MB 229.1, VW 501 01/505 00
LUBSTEIN SAE 15W-40 SF/CD	00912	SF/CD	-
LUBSTEIN SAE 20W-50 SF/CD	04212	SF/CD	-

CAR

TRUCK

MONO-GRADE

GEAR

ATF

HYDRAULIC

BRAKE

ANTIFREEZE

ADDITIVE



PRODUCT	ART.-NO.	API	SPEC./RECOM.	
LUBSTEIN SAE 10W-40 T	03012	CI-4/CF/SL	ACEA E7-12, ACEA A3/B4, Allison C-4, CAT ECF-1-a, Cummins CES 20076, Cummins CES 20077, DEUTZ DQC III-10, Fiat 9.55535-G2/D2, IVECO 18-1804 T1/T2-E7, JASO DH-1, Mack EO-M PLUS, MAN M 3275, MB 228.3, MTU Type 2, Renault RLD-2, Volvo VDS-3	CAR TRUCK
LUBSTEIN SAE 10W-40 LA	02812	CI-4	ACEA E6/E7/E9, CAT ECF-1-a, Cummins CES 20076, Cummins CES 20077, DAF, DEUTZ DQC IV-10 LA, Mack EO-M PLUS/EO-N, MAN 3477/3271-1, MB 226.9/228.51, MTU Type 3.1, Renault Truck RXD/RGD, Renault VI RLD-2, Scania LA, Volvo CNG/VDS-3	MONO-GRADE
LUBSTEIN SAE 10W-40 HC UHPD	00412	CI-4	ACEA E4/E7, CAT ECF-1-a/ECF 2, Cummins CES 20076, 20077, 20078, DAF HP-2, DEUTZ DQC IV-10, Global DHD-1, IVECO (if recommended for E4-E7-08), MACK EO-M+, MAN M 3277/M 3377, MB 228.5, MTU Type 3, Renault RXD/VI RLD-2, Scania LDF-2, Volvo VDS-3	GEAR
LUBSTEIN SYNT SAE 10W-40 CJ-4	09612	CJ-4/SM	ACEA E9-08/E7, CAT ECF-3/ECF-2, CAT ECF-1-a, Cummins CES 20081, DDC 93K218, DEUTZ DQC III-10LA, JDQ-78X, Mack EO-O Premium PLUS, MAN 3275/3575, MB 228.31, MTU Type 2.1, Renault VI RLD-3, Volvo VDS-4	ATF HYDRAULIC
LUBSTEIN SAE 15W-40 CJ-4/SM	09712	CJ-4/SM CI-4 Plus/ CI-4	ACEA E7-04/E9, CAT ECF-3/ECF-2, CAT ECF-1-a, Cummins CES 20081, DDC 93K218, DEUTZ DQC III-10LA, JDQ-78X, Mack EO-O Premium PLUS, MAN 3275/3575, MB 228.31, MTU Type 2.1, Renault VI RLD-3, Volvo VDS-4	BRAKE ANTIFREEZE ADDITIVE



PRODUCT	ART.-NO.	API	SPEC./RECOM.
LUBSTEIN SAE 15W-40 CI-4/SL	04112	CI-4/SL	ACEA E7-12, ACEA A3-/B4, Allison C-4, CAT ECF-1-a/ECF-2, Cummins CES 20071/-75/-76/-77/-78, DEUTZ DQC III-10, Fiat 9.55535-G2/D2, GLOBAL DHD-1, JASO DH-1, Mack EO-M PLUS, MAN M 3275, MB 228.3/229.1, MTU Type 2, Renault RLD-2, Volvo VDS-3
LUBSTEIN SAE 20W-50 CI-4/SL	13012	CI-4/SL	ACEA E7-10, ACEA A3-/B4, Allison C-4, CAT ECF-1-a/ECF-2, Cummins CES 20071/-75/-76/-77/-78, DEUTZ DQC III-10, Fiat 9.55535-G2/D2, GLOBAL DHD-1, JASO DH-1, Mack EO-M PLUS, MAN M 3275, MB 228.3/229.1, MTU Type 2, Renault RLD-2, Volvo VDS-3



PRODUCT	ART.-NO.	API	SPEC./RECOM.
LUBSTEIN SAE 40 CI-4/SL	11012	CI-4/SL	-
LUBSTEIN SAE 50 CI-4/SL	11512	CI-4/SL	-
LUBSTEIN SAE 10 SF/CD	02112	SF/CD	DIN 51 506
LUBSTEIN SAE 40 SF/CD	04712	SF/CD	DIN 51 506
LUBSTEIN SAE 50 SF/CD	09112	SF/CD	DIN 51 506

CAR

TRUCK

MONO-GRADE

GEAR

ATF

HYDRAULIC

BRAKE

ANTIFREEZE

ADDITIVE



PRODUCT	ART.-NO.	API	SPEC./RECOM.
LUBSTEIN GEAR OIL SAE 75W-90 GL-4	07112	GL-4	MAN 341 E-1, Z-2, MB 235.1, ZF TE-ML 02B, 16A, 17A, 19C
LUBSTEIN GEAR OIL SAE 75W-90 GL-5	00812	GL-5	MAN 342 Typ M-1, MB 235.0, MIL-L-2105 D, Volvo 97310, ZF TE-ML 05A, 07A, 16B/C/D, 17B, 19B
LUBSTEIN GEAR OIL SAE 75W-90 GL-4/5	00212	GL-4/ GL-5/MT-1	MAN 3343, MB 235.6, ZF TE-ML 02B, 05A, 07A, 08, 16B, 17A/B, MIL-PRF-2105 D/E
LUBSTEIN GEAR OIL SAE 80W-90 GL-4	00112	GL-4	MAN 341 Type Z1, MB 235.1, ZF TE-ML 02B, 16A, 17A, 19C
LUBSTEIN GEAR OIL SAE 80W-90 GL-5	00312	GL-5	MAN 342 M-2, MB 235.0/235.6, MIL-L-2105 D, ZF TE-ML 05A, 07A, 08, 12E, 16B-D, 17B, 19B, 21A
LUBSTEIN GEAR OIL SAE 80W-90 GL-4/5	00012	GL-4/ GL-5/MT-1	ARVIN MERITOR 0-76-N, DAF, IVECO, MAN 3343 TYP M, MB 235.0, MIL-PRF-2105 E, SAE J2360, SCANIA STO 1:0, ZF TE-ML 02B, 05A, 07A, 08, 12E, 16B/C/D, 17B, 19B
LUBSTEIN GEAR OIL SAE 85W-90	00512	GL-5	MAN 342 M-2, MB 235.0/235.6, MIL-L-2105 D, ZF TE-ML 05A, 07A, 08, 12E, 16B-D, 17B, 19B, 21A
LUBSTEIN GEAR OIL SAE 85W-140	01612	GL-5	MAN 342 M-2, MB 235.0/235.6, MIL-L-2105 D, ZF TE-ML 05A, 07A, 08, 12E, 16B-D, 17B, 19B, 21A



PRODUCT	ART.-NO.	SPEC./RECOM.
LUBSTEIN ATF D-II/III RED	11112	<b>DEXRON III</b> , DEXRON IID, Allison C3/C4, Caterpillar TO-2, Ford SQM-9010B, Ford M2C-38CJ, 166H, 185A, MAN 339 Typ D, MB 236.7, Voith, ZF TE-ML 03D, 04D, 09A, 11A, 14A
LUBSTEIN ATF D-III RED	02012	<b>DEXRON IIIH</b> , Allison C-4, Allison TES, 389, MB 236.1/236.5/236.6/236.7, MAN 339 Type Z1/V1, Z2/V2, Ford Mercon, Ford M2C138-CJ, M2C 166-H, Volvo 97340, 97341, Voith 55.6335/55.6336, ZF TE-ML 02F, 04D, 09, 11A, 14A, 17C





PRODUCT	ART.-NO.	SPEC./RECOM.
LUBSTEIN ATF D-III F	02612	<b>DEXRON IIIH</b> , Allison C-4, Allison TES, 389, MB 236.1/236.5/236.6/236.7, MAN 339 Type Z1/V1, Z2/V2, Ford Mercon, Ford M2C138-CJ, M2C 166-H, Volvo 97340, 97341, Voith 55.6335/55.6336, ZF TE-ML 02F, 04D, 09, 11A, 14A, 17C
LUBSTEIN ATF ASIA	99112	<b>JASO</b> M315 Type 1A, Toyota Type D-2, T, T-II, T-III, T-IV, Toyota Type WS, Nissan Matic Fluid C, D, J, Mitsubishi SP-II, SP-III, Subaru AT, Isuzu BESCO ATF-II, ATF-III, Suzuki ATF Oil, ATF Oil Special, Mazda ATF D-III, ATF M-3, Daihatsu Alumix ATF Multi, Hyundai, Honda ATF Z1, Kia, GM Daewoo, Lexus JWS 3309
LUBSTEIN ATF MB14 RED	05012	<b>MB 236.14</b> , MB 236.12, Audi G 052 162 (A1, A2), Porsche P/N 999 917 547 00, PSA Peugeot/Citroen P/N Z 000169756, Jaguar JLM 20238
LUBSTEIN ATF D-VI	03712	<b>DEXRON VI</b> , Aisin Warner AW-1, Aisin Warner JWS 3324, Bentley P/N PY112995PA, BMW/Mini P/N 83 22 0 142 516, BMW/Mini P/N 83 22 0 397 114, BMW/Mini P/N 83 22 2 163 514 (BMW 8072 B), Chrysler/Dodge/Jeep P/N 05127382AA, Chrysler/Dodge/Jeep P/N 68043742AA, Daimler/Mercedes MB 236.12/236.14/236.41, FORD/Lincoln/Mercury P/N XT-10-QLV [LV], FORD/Lincoln/Mercury P/N XT-6-QSP or -DSP [SP], GM/GMC/Opel/Saturn AW1, GM/GMC/Opel/Saturn P/N 88863400, 88863401, Honda/Acura DW-1, Honda 082000-9017 (ATF Type 3.1), Hyundai/Kia NWS-9638 T-5, Hyundai/Kia P/N 040000C905G, Hyundai/Kia SP-IV/SPH-IV, Jaguar Fluid 8432, JASO M315, Class 1A, Land Rover P/N TYK500050, LR0022460, Maserati P/N 231603, Mazda FW 6A EL, FW 6AX EL, Mazda FZ, Mercon LV, Mitsubishi ATF-J3, Mitsubishi SP-IV, Nissan/Infinity Matic-S, Porsche P/N 000 043 304 00, Saab P/N 93 165 147 - AW-1, Shell 3353, Shell 134, Shell 1375.4, Toyota/Lexus/Scion WS, VV/Audi G 052 533, G 055 005 (-A, A2), VV/Audi G 055 540 (A2)

CAR

TRUCK

MONO-GRADE

GEAR

ATF

HYDRAULIC

BRAKE

ANTIFREEZE

ADDITIVE





PRODUCT	ART.-NO.	SPEC./RECOM.
LUBSTEIN ATF D-VI RED	04712	<b>DEXRON VI</b> , Aisin Warner AW-1, Aisin Warner JWS 3324, Bentley P/N PY112995PA, BMW/Mini P/N 83 22 0 142 516, BMW/Mini P/N 83 22 0 397 114, BMW/Mini P/N 83 22 2 163 514 (BMW 8072 B), Chrysler/Dodge/Jeep P/N 05127382AA, Chrysler/Dodge/Jeep P/N 68043742AA, Daimler/Mercedes MB 236.12/236.14/236.41, FORD/Lincoln/Mercury P/N XT-10-QLV [LV], FORD/Lincoln/Mercury P/N XT-6-QSP or -DSP [SP], GM/GMC/Opel/Saturn AW1, GM/GMC/Opel/Saturn P/N 88863400, 88863401, Honda/Acura DW-1Honda 082000-9017 (ATF Type 3.1), Hyundai/Kia NWS-9638 T-5, Hyundai/Kia P/N 040000C905G, Hyundai/Kia SP-IV/SPH-IV, Jaguar Fluid 8432
LUBSTEIN ATF LF8	06312	<b>ZF Lifeguardfluid 8</b> (S671 090 312), Chrysler 68157995AA, BMW L12108 (83 22 2 152 426), BMW 83 22 2 305 397, BMW 83 22 2 289 720, Jaguar 02JDE 26444, Land Rover LR 023288, VW/Audi G 060 162 A1/A2/A6, G 055 162 (A2, A6)
LUBSTEIN ATF CVT	05512	BMW 8322 0 136 376, BMW 8322 0 429 159, Daihatsu TC, Ford CVT 23, Ford WSS-M2C928-A, GM/Saturn DEX-CVT, Honda ATF-Z1, Honda HMMF, Hyundai/Kia SP-III, JASO M358, MB 236.20, MB A 001 989 46 03, Mitsubishi NS-II/SP-III/CVT J-1, Mopar CVTF+4, Nissan NS-II, Subaru, Suzuki TC/NS-II, Toyota, VW G 052 180
LUBSTEIN ATF DSG	03512	<b>Volkswagen</b> /Audi/Seat/Skoda - G 052 178, G 052 182, TL 52 182, G 052 512, G 052 513, G 052 529, G052 726, G 052 798, G 05 171, G 055 532, BMW - DCTF-1 (83 220 440 2149), MTF-LT-5 (83 22 2167 666), 83 22 0397 244, Citroen/Peugeot 6DCT451 (Peugeot/Citroen 9734 S2), Nissan Genuine Transmission Oil R35 Special, Ferrari TF DCT-F3, Fiat 9.55550-MZ-6, Tutela Transmission Gearforce, Ford WSS-M2C-936-A, WSS-M2C-200-D2, MB 236.25, MB 236.21, Mitsubishi Diamond Queen S5TF-1, Porsche 043 207 29, 043 207 30, 000 043 20, 999 917 546 00, TF 0870, Renault BOT 450, Volvo BOT 341, no. 1161838
LUBSTEIN ATF MB15	06012	<b>MB 236.15</b>

CAR

TRUCK

MONO-GRADE

GEAR

ATF

HYDRAULIC

BRAKE

ANTIFREEZE

ADDITIVE



PRODUCT	ART.-NO.	SPEC./RECOM.
LUBSTEIN HLP 32	32012	DIN 51 524 part 2 HLP, AFNOR NF E 48 602 HM, ISO 6743/3 HM, Denison HF0, HF1, HF2
LUBSTEIN HLP 46	46012	DIN 51 524 part 2 HLP, AFNOR NF E 48 602 HM, ISO 6743/3 HM, Denison HF0, HF1, HF2
LUBSTEIN HLP 68	00712	DIN 51 524 part 2 HLP, AFNOR NF E 48 602 HM, ISO 6743/3 HM, Denison HF0, HF1, HF2



PRODUCT	ART.-NO.	SPEC./RECOM.
LUBSTEIN BRAKE FLUID DOT 4	11912	FMVSS 116, DOT 4, ISO 4925 Class 4, SAE J 1704



PRODUCT	ART.-NO.	SPEC./RECOM.
LUBSTEIN ANTIFREEZE CONCENTRATE BLUE	01712	ASTM D3306, ASTM D4985, SAE J 1034, BS 6580, AFNOR NF R 15-601 TYPE 1, AS 2108, CUNA NC 956-16, JIS K 2234, ÖNORM V 5123, UNE 26361
LUBSTEIN ANTIFREEZE CONCENTRATE GREEN	01812	ASTM D3306, ASTM D4985, SAE J 1034, BS 6580, AFNOR NF R 15-601 TYPE 1, AS 2108, CUNA NC 956-16, JIS K 2234, ÖNORM V 5123, UNE 26361
LUBSTEIN ANTIFREEZE -25°C BLUE	41012	ASTM D3306, ASTM D4985, SAE J 1034, BS 6580, AFNOR NF R 15-601 TYPE 1, AS 2108, CUNA NC 956-16, JIS K 2234, ÖNORM V 5123, UNE 26361
LUBSTEIN ANTIFREEZE -25°C GREEN	42012	ASTM D3306, ASTM D4985, SAE J 1034, BS 6580, AFNOR NF R 15-601 TYPE 1, AS 2108, CUNA NC 956-16, JIS K 2234, ÖNORM V 5123, UNE 26361

CAR  
TRUCK  
MONO-GRADE  
GEAR  
ATF  
HYDRAULIC  
BRAKE  
ANTIFREEZE  
ADDITIVE



PRODUCT	ART.-NO.	SPEC./RECOM.
LUBSTEIN ANTIFREEZE -38°C BLUE	05112	ASTM D3306, ASTM D4985, SAE J 1034, BS 6580, AFNOR NF R 15-601 TYPE 1, AS 2108, CUNA NC 956-16, JIS K 2234, ÖNORM V 5123, UNE 26361
LUBSTEIN ANTIFREEZE -38°C GREEN	05212	ASTM D3306, ASTM D4985, SAE J 1034, BS 6580, AFNOR NF R 15-601 TYPE 1, AS 2108, CUNA NC 956-16, JIS K 2234, ÖNORM V 5123, UNE 26361
LUBSTEIN ANTIFREEZE 12 PLUS	01412	ASTM D3306, ASTM D4985, SAE J 1034, MB 325.3, BS 6580, KSM 2142, AFNOR NF R 15-601 , Opel GM QL 130100, JIS K 2234, JASO M325, AUDI, SEAT, SKODA (G12+), VW TL 774 F (G12+), VW TL 774 D (G12), ISUZU, RENAULT 41-01-001/-S Type D, ASTON MARTIN, GM 1899 M, US 6277 M, MAZDA MEZ MN 1210, Volvo
LUBSTEIN ANTIFREEZE 12 PLUS -25°C PINK	04812	ASTM D3306, ASTM D4985, SAE J 1034, MB 325.3, BS 6580, KSM 2142, AFNOR NF R 15-601, Opel GM QL 130100, JIS K 2234, JASO M325, AUDI, SEAT, SKODA (G12+), VW TL 774 F (G12+), VW TL 774 D (G12), ISUZU, RENAULT 41-01-001/-S Type D, ASTON MARTIN, GM 1899 M, US 6277 M, MAZDA MEZ MN 1210, Volvo
LUBSTEIN ANTIFREEZE 12 PLUS -37°C PINK	04912	ASTM D3306, ASTM D4985, SAE J 1034, MB 325.3, BS 6580, KSM 2142, AFNOR NF R 15-601, Opel GM QL 130100, JIS K 2234, JASO M325, AUDI, SEAT, SKODA G12, VW TL 774 F (G12+), VW TL 774 D (G12), ISUZU, RENAULT Type D, ASTON MARTIN, GM 1899 M, US 6277 M, MAZDA MEZ MN 1210, Volvo VCS
LUBSTEIN ANTIFREEZE CONCENTRATE LS13 PINK	01312	ASTM D 3306, AUDI, (BENTLEY, BUGATTI, LAMBORGHINI), SEAT, SKODA G 13, VW TL 774 J
LUBSTEIN ANTIFREEZE LS13 -35°C PINK	06112	ASTM D 3306, AUDI, (BENTLEY, BUGATTI, LAMBORGHINI), SEAT, SKODA G 13, VW TL 774 J

CAR  
TRUCK  
MONO-GRADE  
GEAR  
ATF  
HYDRAULIC  
BRAKE  
ADDITIVE  
ANTIFREEZE



PRODUCT	ART.-NO.	SPEC./RECOM.
LUBSTEIN OCTANE BOOSTER	11112	-
LUBSTEIN CETANE BOOSTER	11212	-
LUBSTEIN INJECTION CLEANER	11312	-
LUBSTEIN ENGINE FLUSH	11412	-
LUBSTEIN RADIATOR LEAK STOP	15512	-
LUBSTEIN DIESEL SYSTEM CLEANER	12912	-
LUBSTEIN OIL TREATMENT	20012	-

- CAR
- TRUCK
- MONO-GRADE
- GEAR
- ATF
- HYDRAULIC
- BRAKE
- ANTIFREEZE
- ADDITIVE**



Kennedyallee 93  
60596 Frankfurt/M. Germany  
Phone: + 49 (0)69 69 76 92 29  
Fax: + 49 (0)69 69 76 92 29  
info@lubstein.com  
www.lubstein.com



 **Made in Germany**